

Electrical Specifications:

Impedance: 50ohm
 Frequency: DC-6GHz
 VSWR: 1.15@3GHz, 1.2 Max
 Test Voltage: 1500V
 P1M(3rd) 165dBc Max, 2CW Tones@43dBm

MECHANICAL

4.3/10 Interface per
 4.3/10 Interface per
 Operating temperature: -45°C / +120°C


Materials

Body: White Bronze, Brass
 Center Pin: Spring bronze, Silver, 3-6µm BeCu
 Contacts: BeCu
 Dielectric: PTFE
 ROHS Compliant

RACOMTECH PTY LTD

Web: www.racomtech.com ABN: 51687385403
 Tel: +64-3-88029296
 Fax: +64-3-88027695
 email: sales@eyou.com.au
 info@eyou.com.au

| TOLERANCE GROUP (UNLESS NOTED OTHERWISE) | |
|---|---------------|
| LINEAR | ANGULAR |
| X = +/-0.5 | X* = +/-1.0° |
| XX = +/-0.2 | XX* = +/-0.5° |
| XXX = +/-0.05 | XXX* = |



| DRAWN | DWG |
|-------------|------------|
| DATE | 12-05-2018 |
| DRG. CHECK | |
| MECH. CHECK | |
| ELEC. CHECK | |
| APPROVED | |

* DIMENSIONS IN MILLIMETERS UNO
 * DRAWINGS PRACTICES TO AS 1100
 * DO NOT SCALE * IF IN DOUBT/ASK

| TITLE | | | |
|--|--------|----------|----|
| RF Adapter 4.3/10 male to 4.3/10 male 6GHz | | | |
| MATERIAL | FINISH | SCALE | |
| | | 1:1 | |
| SHEET No | | PARTS No | |
| 1 OF 1 | | 01-1105 | |
| | | | A4 |