



**Electrical Specifications:**

Impedance: 50ohm  
 Frequency: DC-6GHz  
 VSWR: 1.15@3GHz, 1.2 Max  
 Test Voltage: 1500V  
 P1M(3rd) 165dBc Max.2CW Tones@43dBm

**MECHANICAL**

4.3/10 Interface per  
 N Interface per  
 Operating temperature: -45°C / +120°C

**Materials**

Body: White Bronze, Brass  
 Center Pin: Spring bronze, Silver, 3-6µm  
 Contacts: BeCu  
 Dielectric: PTFE  
 ROHS Compliant

**RACOMTECH PTY LTD**  
 Web: www.racomtech.com ABN: 51687385403  
 Tel: +64-3-88029296  
 Fax: +64-3-88027695  
 email: sales@eyou.com.au  
 info@eyou.com.au

TOLERANCE GROUP (UNLESS NOTED OTHERWISE)	
LINEAR	ANGULAR
X = +/-.45	X* = +/-.10°
XX = +/-.42	XX* = +/-.45°
XXX = +/-.405	XXX* =

3RD ANGLE PROTECTION

DRAWN	DWG
DATE	12-05-2018
DRG. CHECK	
MECH. CHECK	
ELEC. CHECK	
APPROVED	

\* DIMENSIONS IN MILLIMETERS UNO  
 \* DRAWINGS PRACTICES TO AS 1100  
 \* DO NOT SCALE - IF IN DOUBT/ASK

TITLE			
RF Adapter 4.3/10 male to N male 6GHz			
MATERIAL	FINISH	SHEET No	PARTS No
SCALE	1:1	1 OF 1	01-1102
			A4